


AAecta**LIF**[®] TIPEEK


DIAGNOSTIC ASSESSMENT

The appropriate combination of Titanium and PEEK in TiPEEK cages allows a clear fusion evaluation.



Clear radiographic evaluation.

While maintaining the radiolucency of PEEK, the superficial Titanium "halo" represents a marker for cage positioning during surgery.





COMPREHENSIVE RANGE OF IMPLANTS

The TiPEEK lumbar **posterior IBFD** and **anterior cages**, as well as **cervical devices**, are available in numerous footprints, heights, and sagittal profiles to accommodate various patients' needs.








REFERENCES

[1] M.Rickert et al. Transforaminal lumbar interbody fusion in PEEK oblique cages with and without titanium coating: results from a randomized clinical trial [2] B.Walsh et al. Titanium coated interbody devices [3] M. Rauschmann et al, Osteoporotic patients in spine surgery [4] Withmore et al. J Spine Neurosurg 2013, 2:4 [5]] Wang JC Spine 1 August 1998 - Volume 23 - Issue 15 - p 1684-1688 [6]] Kuhn JL, et al., Comparison of the trabecular and cortical tissue moduli from human illac crests. J Orthop Res. 1989;7(6):876-84 [7] Babyn JD et al. Characterization of a new porous tantalum biomaterial for reconstructive orthopaedics. Proceedings of AAOS, Anaheim, CA. 1999 [8] Sagomonyants KB, Biomaterials 29 (2008) 1563-1572 [9] Chen et al. Comparison of titanium and polyetheretherketone (PEEK) cages in the surgical treatment of multilevel cervical spondylotic myelopathy: a prospective, randomized, control study with over 7-year follow-up. Eur Spine J. 2013 Jul; 22(7):1539-46 [10] Buser D et al. J Biomed Mater Res 1991;25(7):889-902.

MectallF® and Medacta® are registered trademarks of Medacta® International SA, Castel San Pietro, Switzerland.










TI-COATED INTERBODY FUSION DEVICE

<u>Medacta</u>

TITANIUM COATED PEEK, ENHANCED BONE CONTACT

Medacta's **TiPEEK** cages represent the next generation plasma sprayed Ti-Coated interbody fusion device designed for **surgical practice**.


HIGH FUSION RATE



■ High level fusion rate: ~90% at 3 months post-operative[1]

PHYSIOLOGICAL LOAD SHARING

Having a **stiffness similar to bone**, TIPEEK cages provide a native-like support [3,4,5] that may help to prevent subsidence [7].



TIPEEK INCORPORATES PEEK & TITANIUM BENEFITS

PEEK heritage

- PEEK core provides a native bone interface ^[6,7] that may help **prevent subsidence** ^[9]
- Helps to reduce stress shielding [8]
- Allows for proper load force transmission at the implant-tissue interface [8]



Titanium heritage ■ Biocompatibility [10]

THIN LAYER, FULL VOLUME COATING

Micrometric layer provides **full coating** in the cranial, caudal and interior side of the cages, allowing extensive **3D bone contact.**



DISC HEIGHT PRESERVATION

Ti-Peek cages provide substantial interbody height restoration and lordosis maintenance [1].



Low **subsidence** for interverterbral height preservation [1].

IMPROVED STABILITY

Enhanced primary stability due to complex micro rough surface improves friction increasing migration resistance [2].

